

FORWARD

OUNCE WELL OS 20
HORIZONTAL DIRECTIONAL DRILLING RIG



FORWARD
DRILLING EQUIPMENT



OS.20 Horizontal Directional Drilling Rig

OS.20 Horizontal Directional Drilling Rig is developed by the FORWARD Group primarily for the Asian Market.

Like all FORWARD machines, the OS.20 is manufactured using high-quality hydraulic components and offers hydraulic drive with huge power, using European and the United States of America brands.

The OS.20 machine is equipped with a variety of safety and protective measures for maximum ease and safety of operation and system reliability. The Operator console can rotate which gives better operator visibility, comfort and efficiency.

This Horizontal Directional Drilling Rig is compact in size allowing maximum working efficiency in even the smallest confined work-site area.

The FORWARD commitment to operator training and after sales service means that every local distributor works under the strictest factory guidance and training system.

The OS.20 Horizontal Directional Drilling Rig is ideal for Infrastructure Installation under Roads, Railway Lines, Buildings, Heritage Structures and Protected Natural Areas where Open Cut Excavation is not possible.

Many Industries are using Horizontal Directional Drilling Technology for Installation of Steel or HDPE Pipes, Cables and Conduits for Water, Oil & Gas, Electricity and Telecommunications.

Make FORWARD Manufactured Horizontal Directional Drilling Rigs your first choice.



Diesel Engine

Cummins Diesel Engine, is dependable and reliable, this engine is renowned for its low wear and is easily adapted in even the toughest working environments.



Gear and Rack System

The Push and Pull-Back System utilizes a gear and rack (rack and pinion) system. Through a powerful reducer it can achieve maximum pushing and pulling power of 22 tonnes.



Console

Designed to maximize the Operating experience.
Accessible Instrument layout and rotating Operator platform.



Clamp

The Open Design means easier clamping to make Drill Rod Changing and Rod Break-Out much safer and easier.



Track

OS.20 is equipped with a standard Excavator Chassis, with a Powerful Motor made in South Korea. This Excavator Mechanism is stable and strong for better manoeuvring and convenient maintenance.

OUNCE WELL OS 20 HORIZONTAL DIRECTIONAL DRILLING RIG

Main Technical Characteristics

Diesel Engine					
Model			Cummins 6BTA5.9		
Power			110 Kw		
Rotation					
Gears		2			
	Low Speed	Speed of Rotation	70 RPM		
		Torque of Spindle	6 800 Nm		
	High Speed	Speed of Rotation	140 RPM		
		Torque of Spindle	3 400 Nm		
Thrust and Pullback					
Move Speed			2		
	Low Speed	Force of Thrust	220 KN		
		Force of Pullback	220 KN		
	High Speed	Force of Thrust	110 KN		
		Force of Pullback	110 KN		
Other Parameters					
Drilling Angle			0-22°		
Power Winch	Jaws Clamping Spindle Torque		6 000 Nm		
	Jaws Reducing Spindle Torque		12 000 Nm		
Mud Pump	Maximum Capacity		240 L/min		
	Maximum Pressure		7 Mpa		
	Maximum elevation angle		8-16°		
Drill Rod	Length		3 000mm		
	Rod Lock		Φ 73 mm		
	Rod Body		Φ 60 mm		
	Max Bending		5%		
	Weight		35kg		
Type of rod feeding (optionally)			Automatic rod hand/Rod handle/none		
Total Weight			7 800 Kg		
Dimensions (L × W × H)			5900 × 2200 × 2466mm		
Fuel tank capacity			180L		
Hydraulic tank capacity			280L		
Hydraulic anchor system			Optionally		
Rod box with rod feeding system			Optionally		



OUNCE WELL

FORWARD GROUP

Head Office

420081, Russia, Kazan city,
Kamaleev avenue, 26/12
Tel: +7 (843) 590 25 25

Factory

FORWARD Heavy Industrial Machinery Co.,Ltd.

Address: 99#, New East Rod,
Lianyungang Economic and Technological Development Zone
Lianyungang city, Jiangsu province, China, 222000
Tel: +86 518 81089528/+86 518 81089818
E-mail: info@forwardrill.com